


Soundproofing with CLT.

PARTITION WALL STRUCTURE

04/2015



Double layer, visible CLT

100 mm	Stora Enso CLT
12,5 mm	plasterboard
30 mm	mineral wool
30 mm	mineral wool
5 mm	layer of air
100 mm	Stora Enso CLT

$D_{nT,w} > 60 \text{ dB}$